


## NOTES:

WHEN BOLTED COUPLING IS USED AT JOINT, REMOVE MORTAR COATING AS REQUIRED. AFTER INSTALLATION OF BOLTED COUPLING, COAT ALL FITTINGS, VALVES, AND BOLTED COUPLINGS WITH NO-OX-ID A SPECIAL AND WRAP NO-OX-ID TAPE.





## DETAIL SHOWING RECESSED DISH HEAD

## NOTES:

- 1. STEEL PLATE DISHED HEAD AND STEEL CYLINDER IN STEEL CYLINDER CONCRETE PIPE TO BE DESIGNED AND INSTALLED TO WITHSTAND SPECIFIED TEST PRESSURE.
- STEEL PLATE SHALL CONFORM TO SPECIFICATIONS FOR LOW AND INTERMEDIATE TENSILE STRENGTH CARBON PLATES OF STRUCTURAL QUALITY ASTM DESIGNATION A-283 OF LATEST REVISION WITH THE MAXIMUM ALLOWABLE UNIT STRESS IN THE STEEL EQUAL TO 12,000 PSI.

