

**THIS MEETING HAS BEEN
CANCELED**

**NO NEW DATE HAS YET
BEEN SCHEDULED**

**PUBLIC HEARING
LONG BEACH BOARD OF WATER COMMISSIONERS
CONSIDERATION OF ANY PUBLIC PROTEST OF PROPOSED
INCREASES TO THE CITY'S WATER RATES FOR THE
FISCAL YEAR 2018-2019**

**CITY OF LONG BEACH WATER DEPARTMENT
GROUNDWATER TREATMENT PLANT ASSEMBLY ROOM
2950 REDONDO AVENUE
LONG BEACH, CA 90806**

7:00 P.M.

MARCH 7, 2019

Written materials relating to any item on the Commission's agenda which are submitted to the Commission after distribution of the agenda packet are available for public inspection at the Water Department Administration Offices located at 1800 E. Wardlow Road, Long Beach, CA 90807.

March 7, 2019

Page 2

If language interpretation for non-English speaking persons is desired or if a special accommodation is desired pursuant to the Americans with Disabilities Act, please make your request by phone to the City Clerk Department at (562) 570-6101, 72 hours prior to the Charter Commission meeting.

Kung ang pasalitang pagsasalin-wika para sa mga taong hindi nagsasalita ng Ingles ay hinahangad o kung ang isang natatanging kaluwagan ay hinahangad alinsunod sa Batas sa mga Amerikanong May Kapansanan, mangyaring gawin ang iyong kahilingan sa pamamagitan ng telepono sa Kagawaran ng Klerk ng Lunsod sa (562) 570-6101, 72 oras bago ang pulong ng Komisyon sa Karta.

Si desea una interpretación en otro idioma para las personas que no hablan inglés o si se desea una adaptación especial de acuerdo con la Ley de Estadounidenses con Discapacidad, realice su pedido por teléfono al Departamento de la Secretaría Municipal al (562) 570-6101, 72 horas antes de la reunión de la Comisión de Estatutos.

« បើលោកអ្នកមិនចេះនិយាយភាសាអង់គ្លេស ហើយត្រូវការអ្នកបកប្រែ ឬបើលោកអ្នកត្រូវការការជួយសម្រួលពិសេសណាមួយ ទៅតាមច្បាប់ស្តីពីជនជាតិអាមេរិកាំងមានពិការភាព (Americans with Disabilities Act) នោះសូមធ្វើសេចក្តីស្នើសុំរបស់លោកអ្នក មកនាយដ្ឋានសៀនសាលាក្រុង តាមទូរស័ព្ទលេខ (562) 570-6101 អោយបាន 72 ម៉ោងមុនកិច្ចប្រជុំគណៈកម្មាធិការធម្មនុញ្ញក្រុងត្រូវប្រារព្ធធ្វើឡើង។»